


ABSTRACT OF THE DISCLOSURE

Sub 1  
65-27-433-4124-93

A silver halide color photographic light-sensitive material for movie, comprising a support having thereon at least one yellow color-forming light-sensitive silver halide emulsion layer, at least one cyan color-forming light-sensitive silver halide emulsion layer, at least one magenta color-forming light-sensitive silver halide emulsion layer, and at least one light-insensitive non-color forming hydrophilic colloid layer, wherein at least one cyan color-forming silver halide emulsion layer contains at least one cyan dye-forming coupler selected from the compounds represented by the following formula [C-1] and at least one light-insensitive non-color forming hydrophilic colloid layer is positioned between the support and a light-sensitive silver halide emulsion layer most adjacent to the support:




[C-1]

wherein Z<sup>a</sup> and Z<sup>b</sup> each represents -C(R<sup>3</sup>)= or -N=, provided that either one of Z<sup>a</sup> and Z<sup>b</sup> is -N= and another is -C(R<sup>3</sup>)=, R<sup>1</sup> and R<sup>2</sup> each represents an electron attractive group having a Hammett's substituent constant  $\sigma_p$  value of 0.20 or more, provided that the sum of  $\sigma_p$  values of R<sup>1</sup> and R<sup>2</sup> is 0.65 or

more,  $R^3$  represents hydrogen atom or a substituent, X represents hydrogen atom or a group capable of splitting off upon coupling reaction with an oxidation product of an aromatic primary amine color developing agent, and the group represented by  $R^1$ ,  $R^2$ ,  $R^3$  or X may assume a divalent group and combine with a divalent or greater polymer or a polymer chain to form a homopolymer or a copolymer.

A silver halide color photographic light-sensitive material for movie, comprising a transparent support having thereon at least three kinds of light-sensitive hydrophilic colloid layers each containing any one of yellow, magenta and cyan dye-forming couplers and containing silver halide emulsion grains different from each other in the color sensitivity, and at least one light-insensitive hydrophilic colloid layer, wherein any one layer contains at least one compound represented by formula [XI], at least one light-insensitive hydrophilic colloid layer contains a solid fine particle dispersion of a dye represented by formula [I], and said silver halide color photographic light-sensitive material has a film pH of from 4.6 to 6.4:



wherein  $R_1$  and  $R_4$  each independently represents hydrogen

atom, an aliphatic group, an aromatic group, a heterocyclic group,  $-NR_7R_8$ ,  $-NR_7CONR_7R_8$ ,  $-NR_8COR_9$  or  $-NR_8SO_2R_9$ ,  $R_2$  and  $R_5$  each independently represents hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, a cyano group, a sulfo group,  $-NR_7R_8$ ,  $-NR_8COR_9$ ,  $-NR_8SO_2R_9$ ,  $-NR_7CONR_7R_8$ ,  $-CO_2R_7$ ,  $-CONR_7R_8$ ,  $-COR_9$ ,  $-SO_2R_9$  or  $-SO_2NR_7R_8$ ,  $R_3$  and  $R_6$  each independently represents  $-OR_7$ ,  $-CO_2R_7$ ,  $-COR_9$ ,  $-CONR_7R_8$ ,  $-NR_7R_8$ ,  $-NR_8COR_9$ ,  $-NR_8SO_2R_9$ ,  $-NR_7CONR_7R_8$ ,  $-SO_2R_9$ ,  $-SO_2NR_7R_8$  or a cyano group (wherein  $R_7$  and  $R_8$  each independently represents hydrogen atom, an aliphatic group or an aromatic group,  $R_9$  represents an aliphatic group or an aromatic group,  $R_7$  and  $R_8$  or  $R_8$  and  $R_9$  may be combined with each other to form a 5- or 6-membered ring),  $L_1$ ,  $L_2$  and  $L_3$  each independently represents a methine group,  $m$  represents 0, 1 or 2,  $M^{n+}$  represents a n-valence cation, and  $n$  represents 1, 2 or 3:



wherein  $D$  represents a compound residue having a chromophore,  $X$  represents a dissociative hydrogen atom or a group having a dissociative hydrogen atom, and  $y$  represents an integer of from 1 to 7.